



education

Department:
Education
North West Provincial Government
REPUBLIC OF SOUTH AFRICA

PROVINCIAL ASSESSMENT

GRADE 11

AGRICULTURAL SCIENCES P2

NOVEMBER 2024

MARKING GUIDELINES

MARKS: 150



Testpapers.co.za

SECTION A**QUESTION 1**

1.1	1.1.1	B ✓✓		
	1.1.2	A ✓✓		
	1.1.3	C ✓✓		
	1.1.4	D ✓✓		
	1.1.5	D ✓✓		
	1.1.6	B ✓✓		
	1.1.7	C ✓✓		
	1.1.8	A ✓✓		
	1.1.9	B ✓✓		
	1.1.10	D ✓✓	(10 x 2)	(20)
1.2	1.2.1	E ✓✓		
	1.2.2	A ✓✓		
	1.2.3	H ✓✓		
	1.2.4	J ✓✓		
	1.2.5	B ✓✓	(5 x 2)	(10)
1.3	1.3.1	Phloem ✓✓		
	1.3.2	Parthenocarpy ✓✓		
	1.3.3	Drainage ✓✓		
	1.3.4	Monoculture ✓✓		
	1.3.5	Greenhouse ✓✓	(5 x 2)	(10)
1.4	1.4.1	Organic fertiliser ✓		
	1.4.2	Selection ✓		
	1.4.3	Crop rotation ✓		
	1.4.4	Irrigation ✓		
	1.4.5	Tensiometer ✓	(5 x 1)	(5)

TOTAL SECTION A: 45

SECTION B**QUESTION 2: PLANT NUTRITION****2.1 Water and Nutrients****2.1.1 Identify the process**

Transpiration ✓

(1)

2.1.2 TWO adaptations of plants to reduce water loss

- In broad-leaved plants most of the stomata are on the underside of the leaves ✓
- The stomata are surrounded by two guard cells ✓
- Shiny leaves to reflect heat waves ✓
- Layer of plant hairs on the leaves ✓
- Surface of leaves covered by a waxy layer ✓
- Plants adapt their growth season ✓
- Plants roll up their leaves ✓
- Plants have small leaves ✓
- Plants have light grey leaf covering ✓
- Plants only produce leaves in the rainy season ✓
- Succulents store water in their stems and leaves become needles ✓
- Stomata are sunken ✓
- Thickened leaves (succulents) ✓

(Any 2) (2)

2.1.3 TWO reasons why the process is essential for plant growth

- Assists with the absorption of water ✓
- Assists with the absorption of mineral salts ✓
- Helps balance the water content in the plant ✓

(Any 2) (2)

2.2 Mineral nutrition**2.2.1 Recommend the fertiliser bag for better yield of leaf crops**

Bag A ✓

(1)

2.2.2 Justify with TWO reasons

- The proportion/percentage of nitrogen in Bag A (8) is greater than the proportion of nitrogen in Bag B (1). ✓
- Leafy vegetables require more nitrogen for vegetative growth. ✓

(2)

2.2.3 Purpose of the number (30)

The figure 30 indicates the percentage mass of the fertiliser ✓ that contains the elements. ✓

OR

30 indicates the total amount of nutrients ✓ in 100 kg of the mixture. ✓

OR

30 indicates that the fertiliser contains a 30% mixture ✓ of N.P.K. ✓

(2)

2.3 Nutrients - Storage organs

2.3.1 **THREE parts of a plant modified as a storage organ**

- Stems ✓
- Roots ✓
- Leaves ✓
- Seeds ✓
- Fruit ✓

(Any 3) (3)

2.3.2 **ONE chemical process**

Photosynthesis ✓

(1)

2.3.3 **TWO requirements for photosynthesis**

- CO₂ ✓
- Sunlight ✓
- Water ✓

(Any 2) (2)

2.3.4 **ONE product that is stored in plants**

- Starch ✓
- Sugar / Glucose ✓
- Lipids/fats ✓
- Proteins ✓

(Any 1) (1)

2.4 Plant minerals

2.4.1 **Supply labels**

- A** – Phosphorus ✓
- B** – Potassium ✓
- C** – Micro ✓
- D** – Leaf chlorosis ✓

(4)

2.4.2 **TWO methods to determine nutrient status**

- Soil analysis ✓
- Plant/leaf analysis ✓

(2)


2.4.3 **TWO factors that influence availability**

- Soil texture ✓
- Soil pH ✓

(2)

2.5 Rate of photosynthesis

2.5.1 Graph to determine the effect of light intensity on the rate of photosynthesis



CRITERIA/RUBRIC/MARKING GUIDELINES

- Correct heading (C) ✓
 - Bar graph (T) ✓
 - Correct units (cd) (U) ✓
 - X-axis: Correctly calibrated and labelled (Light Intensity) (X) ✓
 - Y-axis: Correctly calibrated and labelled (Number of O₂ bubbles) (Y) ✓
 - Accuracy (80% + correct plotting) (P) ✓
- (6)

2.5.2 Trend of how number of bubbles is affected by light intensity

As the light intensity increases ✓ the number of O₂ bubbles also increase ✓

(2)

2.5.3 TWO methods to manipulate plants as to increase rate of photosynthesis

- Trellising ✓
- Pruning ✓
- Spacing ✓
- Greenhouses ✓

(Any 2)

(2)

[35]

QUESTION 3: PLANT REPRODUCTION**3.1 Sexual reproduction**

- 3.1.1 **Letter of the Male organ of a flower**
C ✓ (1)
- 3.1.2 **Letter of the Modified floral leaves which form the pistil**
A ✓ (1)
- 3.1.3 **Letter of the part of the pistil that produces egg cells**
B ✓ (1)
- 3.1.4 **Letter of the tube connecting the stigma to the ovary**
D ✓ (1)
- 3.1.5 **Dicotyledonous flowers**
Flowers that produce seed (embryos) ✓ with two cotyledons (seed lobes) ✓ (2)

3.2 Seed germination

- 3.2.1 **Provide the LETTER and NAME**
a) C ✓ Stigma ✓
b) A ✓ Pistal ✓
c) B ✓ Ovary ✓ (6)
- 3.2.2 **Cell division that forms male gametes**
Mitosis ✓ (1)

3.3 Types of seed germination

- 3.3.1 **Identify the types of seed germination**
A – Dicotyledonous ✓
B – Monocotyledonous ✓ (2)
- 3.3.2 **THREE environmental conditions for seed germination**
• Sufficient water ✓
• Sufficient oxygen ✓
• Sufficient warmth ✓
• Sufficient light ✓ (Any 3) (3)
- 3.3.3 **TWO scarification methods**
• Mechanical ✓
• Thermal ✓
• Chemical ✓
• Animals ✓ (Any 2) (2)

3.4 Plant improvement

3.4.1 ONE advantage and ONE disadvantage

Advantage – desired traits develop ✓

Disadvantage – offspring can be sterile ✓

(2)

3.4.2 THREE desired traits

- Insect or disease resistant ✓
- Herbicide resistant ✓
- Drought resistant ✓
- Higher nutritional value ✓
- Crop yield increases ✓
- GM crops stay fresh for longer ✓
- Safe for human consumption ✓
- New improved varieties ✓

(Any 3) (3)

3.4.3 The aim of mutation

- Improve crop quality ✓
- Improve genetic variation and heredity ✓

(2)

3.5 Plant pests/ parasites and diseases

3.5.1 ONE way in which weeds reduce yields

- Smother plants ✓
- Slow the growth of plants ✓
- Hosts for pests ✓
- Use more water ✓
- Affect soil structure ✓
- Use nutrients that plants could have used ✓

(Any 1) (1)

3.5.2 TWO reasons why weeds grow more easily than crops

- Grow easily in disturbed/damaged environments ✓
- Produce large quantities of seeds ✓
- Seeds last very long ✓
- Generates many times in single growing season ✓
- Thrive in extreme environmental conditions ✓
- No biological enemies ✓

(Any 2) (2)

3.5.3 TWO weed dispersal agents

- Birds ✓
- Humans ✓
- Animals ✓
- Wind ✓
- Seeds and plants ✓
- Vegetatively ✓
- Crops after harvesting ✓

(Any 2) (2)

3.6 THREE measures to prevent/control the spread of plant disease

- Cultural control ✓
- Biological control ✓
- Chemical control ✓

(3)
[35]

QUESTION 4: OPTIMAL RESOURCE UTILISATION**4.1 Soil surveying****Re-arrange the steps in chronological order**

- Aerial photographs of the region are taken and studied ✓
- Once the aerial photograph has been taken, the survey area is visited ✓
- The farm or area is divided up into homogenous land and /or veld types ✓
- A soil classification of clearly indicated profile test holes is used ✓
- The soil horizons of the test holes are now described ✓
- All the information gathered is interpreted to determine the suitability of the soil ✓

(6)

4.2 Precision farming**4.2.1 THREE ultra-modern technologies**

- NICT ✓
- Geo-location data (GPS) ✓
- Characterising variability ✓
- New information and communication technology ✓

(Any 3) (3)

4.2.2 TWO economic benefits

- Reduces the need for nutrient/fertiliser input ✓
- Higher production output ✓

(2)

4.3 Soil cultivation**4.3.1 THREE aims/effects of Primary soil cultivation**

- Aeration ✓
- Soil moisture ✓
- Infiltration ✓
- Temperature ✓
- Break the soil and dig up the land ✓
- Nutrient status ✓

(Any 3) (3)

4.3.2 Differentiate between *primary* and *secondary* soil cultivation

Primary soil cultivation

It is the first tillage or cultivation ✓ of the soil in the new season before planting ✓

(2)

Secondary soil cultivation

Is to improve the seed bed ✓ by making the soil finer through working crop residue into the soil and removing weeds ✓

(2)

4.4 Irrigation systems

4.4.1 Identify the irrigation systems

A – Flood irrigation ✓

B – Pivot/Sprinkler irrigation ✓

C – Micro-irrigation ✓

(3)

4.4.2 TWO conditions for flood irrigation

- Level slope ✓
- Water that is cheap and plentiful ✓
- Strong stream of water ✓

(2)

4.4.3 ONE advantage of pivot/sprinkler irrigation

- Less labour ✓
- No water loss through seepage ✓
- Water is measured accurately ✓
- Use of uneven ground is possible ✓
- Water applied uniformly ✓

(Any 1) (1)

4.4.4 TWO criteria that determine water quality

- No toxins ✓
- No pathogenic organisms ✓
- No high biological content ✓
- No high salt content ✓

(Any 2) (2)

4.5 Calculate the total moisture content of the loam soil as a percentage. Show formula and ALL calculations.

$$\begin{aligned}
 \% \text{ moisture} &= \frac{\text{moisture mass} - \text{dry mass}}{\text{dry mass}} \times 100 \checkmark \\
 &= \frac{150\text{g} - 120\text{g}}{120\text{g}} \times 100 \checkmark \\
 &= 25 \checkmark \% \checkmark
 \end{aligned}$$

(4)

4.6 Aquaculture**4.6.1 Identify the type of farming**

Aquaculture ✓

(1)

4.6.2 TWO basic requirements for higher yield

- Temperature ✓
- Water quality ✓
- Dissolved oxygen ✓
- Feed management ✓
- pH ✓
- Maintenance ✓
- Nitrogenous compounds ✓
- Disease control ✓

(Any 2)

(2)

4.6.3 TWO factors that farmers must consider when choosing a fish species.

- Stock may not be collected from the wild ✓
- Knowledge of the species ✓
- Adaptability in high densities ✓
- Species that have the ability to produce hybrid species with indigenous species may not be used ✓
- Disease and parasitic status of a species ✓
- Market price and demand ✓
- Simple larval development ✓
- Reproduction in detention ✓

(Any 2)

(2)

[35]**TOTAL SECTION B:****105****GRAND TOTAL:****150**